



e-SV Series

STAINLESS STEEL VERTICAL MULTI-STAGE PUMPS

Hydraulic performance range

extra efficient


The e-SV's newly-designed hydraulics, combined with a high-efficiency motor (IE2) deliver maximum efficiency.

easy to maintain

The e-SV's new design allows removal of the mechanical seal without having to remove the motor, reducing repair time by up to 50%. A standard DIN mechanical seal, wearing components, service tools and standard IEC motors enable faster and easier maintenance and servicing.

energy saving

Pumps are among the largest users of industrial energy. Do your part to reduce CO2 emissions and your impact on the environment - and improve your bottom line - by taking advantage of the new e-SV's lower energy requirement. Use a new e-SV pump along with a variable speed drive such as Xylem's Hydrovar®, and save even more energy and money.



Benefits.

The e-SV range of pumps features 11 models, and can be specially configured for a wider range of applications. The line is interchangeable with Lowara's SSV series of vertical multi-stage pumps for added flexibility in meeting pumping requirements. Additionally, five e-SV manufacturing facilities around the world provide shorter lead times and faster service.

Applications.

Water supply and pressure boosting

Water treatment

Light industry

Irrigation and farming

Heating, ventilation and air-conditioning

Specifications.

| | |
|------------------------------|----------------------------------------------------------------------|
| Delivery | up to 160 m ³ /h |
| Head | up to 330 m |
| Power supply | three-phase and single-phase 50 and 60 Hz |
| Power | standard motors from 0.37 kW to 55 kW |
| Maximum operating pressure | PN25-40 for sizes 1-22SV; PN16, PN25, PN40 for sizes 33-125 |
| Temperature of pumped liquid | -30°C to +120°C standard version / up to 150°C in "hot water design" |
| Protection | IP55 |
| Insulation class | F |
| Combination | with Hydrovar® and other VFDs (on pumps and Booster Packages) |



Stainless steel vertical multi-stage pumps.

Why "e"-SV? "e" stands for the ultimate in energy efficiency, easy installation and economical operation - a new generation of vertical, multi-stage pumps that deliver outstanding performance and reliability.

Developed based on intensive research into user needs, the new e-SV pumps are designed to extend uptime and help reduce lifecycle costs in a wide variety of demanding applications.




What can Xylem do for you?

Xylem /'zilɪm/ 1) The tissue in plants that brings water upward from the roots; 2) a leading global water technology company.

We're 12,000 people unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation. For more information on how Xylem can help you, go to xylem.com.

www.xylem.com



LOWARA S.r.l. Unipersonale
Via Dott. Lombardi, 14
36075 Montecchio Maggiore
Vicenza - Italy
Tel. (+39) 0444 707111
Fax(+39) 0444 492166
e-mail: lowara.mkt@xylem.com
<http://www.lowara.com>
<http://completewatersystems.com/>

Lowara is a trademark of Xylem Inc. or one of its subsidiaries.
© 2011 Xylem, Inc.